ELSEVIER

General Subjects

Vol. 1243, 1995

BBA Biochimica et Biophysica Acta

Cumulative Contents

Information for Contributors *vii*

NMR evaluation of changes in myocardial high energy metabolism produced by repeated short periods of ischemia
S. Bradamante, F. Piccinini, C. Delu, M. Janssen and J.W. De Jong (Italy, The Netherlands) 1

Characterization of a new class of inhibitors of the recombinant human liver UDP-glucuronosyltransferase, UGT1*6
E. Battaglia, A. Elass, R.R. Drake, P. Paul, S. Treat, J. Magdalou, S. Fournel-Gigleux, G. Siest, G. Vergoten, R. Lester and A. Radominska (France, USA, Switzerland) 9

Comparative kinetic study of lipases A and B from *Candida rugosa* in the hydrolysis of lipid *p*-nitrophenyl esters in mixed micelles with Triton X-100
O. Redondo, A. Herrero, J.F. Bello, M.G. Roig, M.V. Calvo, F.J. Plou and F.J. Burguillo (Spain) 15

Isolation and characterization of sheep lactoferrin, an inhibitor of platelet aggregation and comparison with human lactoferrin
Z.-Y. Qian, P. Jollès, D. Migliore-Samour and A.-M. Fiat (France) 25

Association of canalicular membrane enzymes with bile acid micelles and lipid aggregates in human and rat bile
L. Accatino, M. Pizarro, N. Solís and C.S. Koenig (Chile) 33

Glutamine transport and enzymatic activities involved in glutaminolysis in human platelets
V. Vasta, E. Meacci, M. Farnararo and P. Bruni (Italy) 43

Qualitative and quantitative studies of heparin and chondroitin sulfates in normal human plasma
N. Volpi, M. Cusmano and T. Venturelli (Italy) 49

Effects of partial hepatectomy, phenobarbital and 3-methylcholanthrene on kinetic parameters of glucose-6-phosphate and phosphogluconate dehydrogenase in situ in periportal, intermediate and pericentral zones of rat liver lobules
G.N. Jonges, I.M.C. Vogels and C.J.F. Van Noorden (The Netherlands) 59

Formation of pivaloylcarnitine in heart and brown adipose tissue in the rat
Q.N. Diep, T. Bøhmer and S. Skrede (Norway) 65

Spectroscopic features of native and bleached opiomelanins
M.A. Rosei, L. Mosca and C. De Marco (Italy) 71

Conversion of adenosine(5′)oligophospho(5′)adenosines into inosine(5′)oligophospho(5′)inosines by non-specific adenylate deaminase from the snail *Helix pomatia*
A. Guranowski, E. Starzyńska, M.A. Günther Sillero and A. Sillero (Poland, Spain) 78

Effects and molecular action of ribosome-inactivating proteins on ribosomes from *Streptomyces lividans*
J.M. Ferreras, R. Iglesias, L. Barbieri, C. Alegre, A. Bolognesi, M.A. Rojo, M.L. Carbajales, C. Escarmis and T. Girbes (Spain, Italy) 85

Purification and characterization of a non-hemorrhagic metalloprotease from *Agkistrodon halys brevicaudus* venom
S. Fujimura, T. Rikimaru, S. Baba, J. Hori, X.-Q. Hao, S. Terada and E. Kimoto (Japan) 94

Multinuclear magnetic resonance studies of boar seminal plasma
G. Kamp and J. Lauterwein (FRG) 101

Fusinite as a specific probe for the determination of molecular oxygen concentration in cells
M.T. Santini, W. Malorni, C. Zicari, S. Paradisi, E. Straface and P.L. Indovina (Italy) 110

In vitro determination of creatine kinase substrate fluxes using ^{31}P- nuclear magnetic resonance
A. Conrad, M.L.H. Gruwel and S. Soboll (Germany) 117

A sheep hydatid cyst glycoprotein as receptors for three toxic lectins, as well as *Abrus precatorius* and *Ricinus communis* agglutinins
A.M. Wu, S.-C. Song, J.H. Wu, U. Pfüller, L.-P. Chow and J.-Y. Lin (Taiwan, Germany) 124

Kinetic studies on rat liver low M_r phosphotyrosine protein phosphatases. The activation mechanism of the isoenzyme AcP2 by cGMP
P. Cirri, A. Caselli, G. Manao, G. Camici, R. Polidori, G. Cappugi and G. Ramponi (Italy) 129

Lentil root protoplasts: a transient expression system suitable for coelectroporation of monoclonal antibodies and plasmid molecules
M. Maccarrone, G.A. Veldink, A. Finazzi Agrò and J.F.G. Vliegenthart (The Netherlands, Italy) 136

Regular Papers

Allosteric regulation by calcium of rabbit polyclonal anti-cyclic GMP antibody
A.C. Patrinellis and S.A. Waldman (USA) 143

Cross-linking of porin with glutardialdehyde: a test for the adequacy of premises of cross-linking theory
A. Azem, I. Shaked, J.P. Rosenbusch and E. Daniel (Israel, Switzerland) 151

Characterization of the okra mucilage by interaction with Gal, GalNAc and GlcNAc specific lectins
A.M. Wu, Y.-j. Jiang, P.Y. Hwang and F.-s. Shen (Taiwan) 157

Characterization of muscle glyceraldehyde-3-phosphate dehydrogenase isoforms from euthermic and induced hibernating *Jaculus orientalis*
A. Soukri, F. Valverde, N. Hafid, M.S. Elkebbaj and A. Serrano (Morocco, Spain) 161

Hydroxyl radical generation following ischaemia-reperfusion in cell-free perfused rat kidney
M. Kadkhodaee, Z.H. Endre, R.A. Towner and M. Cross (Australia) 169

Interactions of HIV-1 envelope glycoproteins with derivatized dextrans
V. Carré, E. Mbemba, D. Letourneur, J. Jozefonvicz and L. Gattegno (France) 175

Purification of ginger proteases by DEAE-Sepharose and isoelectric focusing
K. Ohtsuki, K. Taguchi, K. Sato and M. Kawabata (Japan) 181

Non-uniform spatial distributions of both the magnitude and phase of AC electric fields determine dielectrophoretic forces
X.-B. Wang, M.P. Hughes, Y. Huang, F.F. Becker and P.R.C. Gascoyne (USA, UK) 185

The shortest isoform of human vascular endothelial growth factor/vascular permeability factor ($VEGF/VPF_{121}$) produced by *Saccharomyces cerevisiae* promotes both angiogenesis and vascular permeability
S. Kondo, T. Matsumoto, Y. Yokoyama, I. Ohmori and H. Suzuki (Japan) 195

An aminopeptidase activity from porcine kidney that hydrolyzes oxytocin and vasopressin: purification and partial characterization
C. Itoh and A. Nagamatsu (Japan) 203

An aminopeptidase P from *Lactococcus lactis* with original specificity
I. Mars and V. Monnet (France) 209

Regulation of valine catabolism in canine tissues: tissue distributions of branched-chain aminotransferase and 2-oxo acid dehydrogenase complex, methacrylyl-CoA hydratase and 3-hydroxyisobutyryl-CoA hydrolase
T. Ooiwa, H. Goto, Y. Tsukamoto, T. Hayakawa, S. Sugiyama, N. Fujitsuka and Y. Shimomura (Japan) 216

Electrochemical reduction of the biliverdin-serum albumin complex as monitored by absorption and circular dichroism spectroscopy
J. Claret, O. Ibars, K. Lang, F.R. Trull and D.A. Lightner (Spain, USA) 221

Thiol groups in proteins as endogenous reductants to determine glutathione-protein mixed disulphides in biological systems
R. Rossi, E. Cardaioli, A. Scaloni, G. Amiconi and P. Di Simplicio (Italy) 230

Age-related changes in collagen packing of human articular cartilage
E. Wachtel, A. Maroudas and R. Schneiderman (Israel) 239

Investigation of the role of reactive oxygen species in bilirubin metabolism in the Gunn rat
M. Joshi, B.H. Billing and T. Hallinan (UK) 244

Isolation and characterization of a tyrosinase from the skin of the white silky fowl (*Gallina lanigera*) employing copper saturated diethylaminoethyl-cellulose
H.-t. Wang, W.-y. Liu and N. Ulbrich (China, Germany) 251

Strain- and sex-specific differences in the glutathione *S*-transferase class pi in the mouse examined by gradient elution of the glutathione-affinity matrix and reverse-phase high performance liquid chromatography
E. Egaas, J.G. Falls, N.O. Svendsen, H. Ramstad, J.U. Skaare and W.C. Dauterman (Norway, USA) 256

Specificity of an esterase (XYLD) from *Pseudomonas fluorescens* subsp. *cellulosa*
C.B. Faulds, M.-C. Ralet, G. Williamson, G.P. Hazlewood and H.J. Gilbert (UK, France) 265

Dietary regulation of sucrase-isomaltase gene expression in rat jejunum
H. Yasutake, T. Goda and S. Takase (Japan) 270

Regulation by physical training of enzyme activity and gene expression of branched-chain 2-oxo acid dehydrogenase complex in rat skeletal muscle
H. Fujii, K. Tokuyama, M. Suzuki, K.M. Popov, Y. Zhao, R.A. Harris, N. Nakai, T. Murakami and Y. Shimomura (Japan, USA) 277

Presence of free D-glutamate and D-aspartate in rat tissues
Y. Kera, H. Aoyama, H. Matsumura, A. Hasegawa, H. Nagasaki and R.-h. Yamada (Japan) 282

Rapid Report

Isoelectric restriction of human immunoglobulin isotypes
C. Prin, M.C. Bene, B. Gobert, P. Montagne and G.C. Faure (France) 287

Regular Papers

Identification of glandular kallikrein in dog pancreas and determination of its tissue distribution
D. Deperthes, E.R. Gauthier, P. Chapdelaine, C. Lazure, R.R. Tremblay and J.Y. Dubé (Canada) 291

Effect of a chemical or proteolytic modification on the biological activity of guinea-pig cationic peptide
T. Yamashita, S. Yomogida, I. Nagaoka and K. Saito (Japan) 295

Difference between cancer cells and the corresponding normal tissue in view of stereoselective hydrolysis of synthetic esters
Y. Yamazaki, Y. Ogawa, A.S. Afify, Y.-i. Kageyama, T. Okada, H. Okuno, Y. Yoshii and T. Nose (Japan) 300

Amino acid sequence of TsTX-V, an α-toxin from *Tityus serrulatus* scorpion venom, and its effect on K^+ permeability of β-cells from isolated rat islets of Langerhans
S. Marangoni, M.H. Toyama, E.C. Arantes, J.R. Giglio, C.A. Da Silva, E.M. Carneiro, A.A. Gonçalves and B. Oliveira (Brazil) 309

Purification and characterization of an alkaline amylopullulanase with both α-1,4 and α-1,6 hydrolytic activity from alkalophilic *Bacillus* sp. KSM-1378
K. Ara, K. Saeki, K. Igarashi, M. Takaiwa, T. Uemura, H. Hagihara, S. Kawai and S. Ito (Japan) 315

Characteristic induction of hepatic metallothionein in mice by tumor transplantation
A. Takeda, H. Tamano, T. Sato, K. Goto and S. Okada (Japan) 325

Long-term maintenance of functional rat hepatocytes in primary culture by additions of pyruvate and various hormones
Y. Tomita, C. Yuasa, R. Ni, K. Ishimura and A. Ichihara (Japan) 329

Stabilities of the fluorescent SH-reagent eosin-5-maleimide and its adducts with sulfhydryl compounds
E. Majima, S. Goto, H. Hori, Y. Shinohara, Y.-M. Hong and H. Terada (Japan) 336

Regulation of glutamine and glucose metabolism by cell volume in lymphocytes and macrophages
G. Wu and N.E. Flynn (USA) 343

Purification, characterization and localization of mitochondrial dihydroorotate dehydrogenase in *Plasmodium falciparum*, human malaria parasite
J. Krungkrai (Thailand) 351

Mitochondrial sites of hydrogen peroxide production in reperfused rat kidney cortex
B. González-Flecha and A. Boveris (Argentina) 361

Effects of creatine and β-guanidinopropionic acid on the growth of Ehrlich ascites tumor cells: i.p. injection and culture study
Y. Ohira and N. Inoue (Japan) 367

Modulation by iron loading and chelation of the uptake of non-transferrin-bound iron by human liver cells
J.G. Parkes, E.W. Randell, N.F. Olivieri and D.M. Templeton (Canada) 373

A study of binary complexes of *Escherichia coli* maltodextrin phosphorylase: α-D-glucose 1-methylenephosphonate as a probe of pyridoxal 5′-phosphate–substrate interactions
S. Becker, K.D. Schnackerz and R. Schinzel (Germany) 381

Endocytosis of poly(ethylene oxide)-modified liposome by human lymphoblastoid cells
N. Higashi and J. Sunamoto (Japan) 386

Enhanced tropoelastin-degrading activity during cell passages in cultured smooth muscle cells
H. Wachi, Y. Seyama, S. Yamashita and S. Tajima (Japan) 393

Cytotoxic effects of ricin without an interchain disulfide bond: genetic modification and chemical crosslinking studies
D. Mohanraj and S. Ramakrishnan (USA) 399

Localization and interaction of bovine pancreatic trypsin inhibitor and tryptase in the granules of bovine mast cells
L. Fiorucci, F. Erba, L. Falasca, L. Dini and F. Ascoli (Italy) 407

Activation of alkylhydrazines to free radical intermediates by ethanol-inducible cytochrome *P*-4502E1 (CYP2E1)
E. Albano, A. Comoglio, P. Clot, A. Iannone, A. Tomasi and M. Ingelman-Sundberg (Italy, Sweden) 414

Effect of detergents and endogenous lipids on the activity and properties of tyrosinase and its related proteins
C. Jiménez-Cervantes, J.C. García-Borrón, J.A. Lozano and F. Solano (Spain) 421

Identification of essential lysyl and cysteinyl residues, and the amino acid sequence at the substrate-binding site of retinal oxidase
D.-Y. Huang and Y. Ichikawa (Japan) 431

Expression and subcellular distribution of phosphoenolpyruvate carboxykinase in primary cultures of rabbit kidney proximal tubule cells: comparative study with renal and hepatic PEPCK in vivo
C. Monteil, J.-P. Fillastre and J.-P. Morin (France) 437

K*rev*-1 protein is abundantly expressed in the rat spinal cord
O. Urayama, T. Murakoshi and Y. Ikawa (Japan) 446

Receptor–ligand interactions measured by an improved spun column chromatography technique. A high efficiency and high throughput size separation method
S. Buus, A. Stryhn, K. Winther, N. Kirkby and L. Pedersen (Denmark) 453

Characteristics and regulation of 11β-hydroxysteroid dehydrogenase of proximal and distal nephron
N. Alfaidy, M. Blot-Chabaud, D. Robic, S. Kenouch, R. Bourbouze, J.-P. Bonvalet and N. Farman (France) 461

Polymorphism in the glutathione conjugation activity of human erythrocytes towards ethylene dibromide and 1,2-epoxy-3-(*p*-nitrophenoxy)-propane
J.H.T.M. Ploemen, L.W. Wormhoudt, B. Van Ommen, J.N.M. Commandeur, N.P.E. Vermeulen and P.J. Van Bladeren (The Netherlands) 469

Isolation and characterization of a flocculating protein from *Moringa oleifera* Lam
U. Gassenschmidt, K.D. Jany, B. Tauscher and H. Niebergall (Germany) 477

Protein tyrosine phosphorylation in human platelets induced by interaction between glycoprotein Ib and von Willebrand factor
Y. Ozaki, K. Satoh, Y. Yatomi, S. Miura, Y. Fujimura and S. Kume (Japan) 482

β-*N*-acetylhexosaminidases A and S have similar sub-cellular distributions in HL-60 cells
S. Martino, C. Emiliani, A. Orlacchio, R. Hosseini and J.L. Stirling (UK, Italy) 489

Direct measurement of the accumulation and mitochondrial conversion of nitric oxide within Chinese hamster ovary cells using an intracellular electron paramagnetic resonance technique
R.B. Clarkson, S.W. Norby, A. Smirnov, S. Boyer, N. Vahidi, R.W. Nims and D.A. Wink (USA) 496

Kinetic studies on the removal of extracellular *tert*-butyl hydroperoxide by cultured fibroblasts
N. Makino, S. Bannai and Y. Sugita (Japan) 503

Properties of hemagglutinins newly separated from toxic phytoplankton
Md.S. Ahmed, S. Khan, O. Arakawa and Y. Onoue (Japan) 509

Changes in $[Ca^{2+}]_i$ in cultured rat proximal tubular epithelium: an in vitro model for renal ischemia
W.M. Chi, I.K. Berezesky, M.W. Smith and B.F. Trump (Republic of China, USA) 513

Effects of surface modification of materials on human neutrophil activation
Y. Wakabayashi, J. Sasaki, H. Fujita, K. Fujimoto, I. Morita, S.-i. Murota and H. Kawaguchi (Japan) 521

Amine oxidases from *Aspergillus niger*: identification of a novel flavin-dependent enzyme
B. Schilling and K. Lerch (Switzerland) 529

Rapid Reports

Increased heparin binding by site directed mutagenesis of a recombinant chimera of bombyxin and insulin-like growth factor II
L.F. Congote (Canada) 538

Consequences of altered aspartate aminotransferase activity on ^{13}C- glutamate labelling by the tricarboxylic acid cycle in intact rat hearts
R.G. Weiss, M.D. Stern, C.P. De Albuquerque, K. Vandegaer, V.P. Chacko and G. Gerstenblith (USA) 543

Short-Sequence Papers

Identification of *SPT14 / CWH6* as the yeast homologue of hPIG-A, a gene involved in the biosynthesis of GPI anchors
J.H. Vossen, A.F.J. Ram and F.M. Klis (The Netherlands) 549

Cloning and sequencing of β-mannanase gene from *Bacillus subtilis* NM-39
N.S. Mendoza, M. Arai, K. Sugimoto, M. Ueda, T. Kawaguchi and L.M. Joson (Phillippines, Japan) 552

Corrigenda 555

Cumulative Contents, Vol. 1243 561

Author Index 565